



INVEST IN THE FUTURE



Made in France  
since 1964



# PLASMA cutting and gouging systems

Plasma cutting is one of the most widely used processes in metallurgy and manufacturing. Its cutting speed and precision often give it the edge over flame cutting.



PLASMA TECHNOLOGY

Plasma cutting is a localised, fusion-cutting process in which the compressed jet of air pushes the metal to a melting temperature. GYS systems are portable and easy to use, with even higher cutting speeds than flame cutting. Due to its versatility, plasma technology offers the possibility of cutting a wide variety of conductive materials up to a thickness of 57 mm.

- Main uses and applications:**
- Cuts a variety of conductive materials including mild steel, carbon steel, stainless steel, aluminium, copper, brass and other ferrous materials.
  - Straight / bevelled cut
  - Automated cutting
  - Highly accurate gouging
  - Drilling
  - Sheet metal marking

OXYCUTTING technology

The equipment is simple and the user can be up and running quickly. However, this process is rather slow and only suitable for cutting carbon steel. Oxy-gas is not effective on other types of metal such as stainless steel or aluminium. What’s more, the workpiece must be preheated before cutting, which further reduces productivity. Safety concerns arise from the use of acetylene, which is highly flammable and unstable (this combustible gas is most commonly used with flame cutting)

- Main uses and applications:**
- Cutting steel for manufacturing or dismantling it.
  - Heating parts for bending, straightening, heat treatment.
  - Loosening jammed or rusted parts and bolts

| PLASMA CUTTING       |                                                           | OXYCUTTING                                                               |
|----------------------|-----------------------------------------------------------|--------------------------------------------------------------------------|
| Material(s)          | Conductive metals<br>(Steel, Aluminium, Copper, Brass)    | Carbon steel only                                                        |
| Thickness            | Up to 57 mm                                               | Up to 50 cm                                                              |
| Cutting quality      | Excellent cutting angularity<br>Small heat-affected area. | Good cutting angularity<br>Large heat-affected area                      |
| Productivity         | Fast cutting speed<br>on all thicknesses.                 | Slow cutting speed.<br>(The preheating time increases the cutting time). |
| Secondary operations | Minimal slag                                              | Grinding and removal of surface oxidation almost always required.        |
| Operating costs      | Inexpensive (£)                                           | Very expensive (£££)                                                     |
| Equipment cost       | Expensive (££)                                            | Inexpensive (£)                                                          |
| Portability          | Yes                                                       | Yes                                                                      |
| Gouging              | Yes, very accurate                                        | Yes                                                                      |
| Safety               | ★★★                                                       | ★                                                                        |

FOUR CUTTING ADVANTAGES



**Cutting quality**  
Plasma cuts produce less slag (burrs).



**Easy to use**  
No gas to adjust, no flame to control.



**Productivity**  
Cuts more parts, faster and with fewer secondary operations.



**Safety**  
No flammable gas required, uses only compressed air.



MECHANISED CNC CUTTING

The term «CNC» refers to «Computer Numerical Control». The torch’s movement is controlled by a computer on the cutting table using a computer program.

- Three advantages of automated cutting:**
- Consistent and reliable performance
  - Increased productivity
  - Optimised cutting quality

More information?



There’s more information in the brochure

MANUAL CUTTING



EASYCUT K25

EASYCUT K35 PFC

EASYCUT 30 FV

EASYCUT 40

|                     |              |              |                  |              |
|---------------------|--------------|--------------|------------------|--------------|
| Max output current. | 25 A         | 35 A         | 30 A             | 40 A         |
| Mains voltage       | 230 V - 1 ph | 230 V - 1 ph | 110/230 V - 1 ph | 230 V - 1 ph |

|                          |             |       |   |    |    |    |
|--------------------------|-------------|-------|---|----|----|----|
| Cutting performance (mm) | Separation  | Steel | 8 | 15 | 15 | 20 |
|                          | Recommended |       | 6 | 10 | 10 | 15 |
|                          | Drilling    |       | - | -  | -  | -  |

|                                |  |   |   |   |   |
|--------------------------------|--|---|---|---|---|
| Mechanized cutting             |  | - | - | - | - |
| Internal compressor            |  |   |   | - | - |
| Automatic control air pressure |  | - | - | - | - |
| Marking                        |  | - | - | - | - |
| Gouging                        |  | - | - | - | - |

|                             |        |        |        |        |
|-----------------------------|--------|--------|--------|--------|
| Protection index            | IP 21S | IP 23S | IP 21S | IP 21  |
| Weight (kg)                 | 15     | 18.5   | 11     | 8      |
| Reference with accessories* | 068063 | 080768 | 013858 | 029743 |

\*Ground clamp generator hand torch

MANUAL OR MECHANISED CUTTING



CUTTER 45 CT

CUTTER 70 CT

CUTTER 105 CT

NEOCUT 45 M230

NEOCUT 70 T400

NEOCUT 105 T400

NEOCUT 125 T400

|                     |                          |             |             |              |             |             |             |
|---------------------|--------------------------|-------------|-------------|--------------|-------------|-------------|-------------|
| Max output current. | 45 A                     | 70 A        | 105 A       | 45 A         | 70 A        | 105 A       | 125 A       |
| Mains voltage       | 110 V 1 ph<br>230 V 1 ph | 400 V - 3ph | 400 V - 3ph | 230 V - 1 ph | 400 V - 3ph | 400 V - 3ph | 400 V - 3ph |

|                          |             |       |    |    |    |    |    |    |    |    |
|--------------------------|-------------|-------|----|----|----|----|----|----|----|----|
| Cutting performance (mm) | Separation  | Steel | 15 | 30 | 35 | 40 | 30 | 35 | 40 | 57 |
|                          | Recommended |       | 10 | 25 | 25 | 35 | 25 | 25 | 35 | 40 |
|                          | Drilling    |       | 5  | 12 | 15 | 20 | 12 | 15 | 20 | 25 |

|                                |  |   |   |   |   |   |   |   |   |
|--------------------------------|--|---|---|---|---|---|---|---|---|
| Mechanized cutting             |  |   |   |   |   |   |   |   |   |
| Internal compressor            |  | - | - | - | - | - | - | - | - |
| Automatic control air pressure |  | - | - | - |   |   |   |   |   |
| Marking                        |  | - | - | - |   |   |   |   |   |
| Gouging                        |  | - |   |   |   |   |   |   |   |

|                             |        |        |        |        |        |        |        |
|-----------------------------|--------|--------|--------|--------|--------|--------|--------|
| Protection index            | IP 23  | IP 23  | IP 23  | IP 23S | IP 23S | IP 23  | IP 23  |
| Weight (kg)                 | 15     | 22     | 29     | 14.3   | 21.5   | 31     | 32     |
| Reference with accessories* | 062962 | 013841 | 081109 | 088948 | 088955 | 088962 | 088979 |

\*Ground clamp generator MT-70 or MT-125 hand torch

Glossary

Discover the technological features of our products as well as a brief explanation.

PFC

**Power Factor Correction (PFC)**  
PFC technology suppresses spikes and regulates the supply current. The electrical network is therefore better used, accepting supply voltages between 185 and 265 V and, therefore, favouring the use of extension cords or power supplies. Another important effect is that a power source equipped with this device consumes much less energy from the grid and allows it to be used on smaller circuit breakers (e.g. 16 A).

FV

**Flexible Voltage**  
This technology extends the supply voltage range of the PFC from 85 to 265 V (185 to 265 V for a standard PFC). They can therefore be used on 110 V or 230 V electrical networks.

P400

**Protect 400**  
Power sources equipped with this technology are able to withstand occasional or permanent voltage variations on the electrical network up to 400 V (lightning, engine-driven sets, load shedding, etc.).

AD

**Anti-Dust**  
In this type of design, the ventilation corridor is isolated from the electronic parts, which greatly reduces contact with external dust.



**Mechanised cutting**  
Can be connected to a CNC cutting table.



**Internal air compressor**  
Eliminates the need for a nearby compressed air source.



**Auto AIR**  
Automatic management of air pressure and flow for optimal cutting.



**Open sheet mode**  
Ideal for cutting work on perforated sheets



**Marking mode**  
Ideal for surface marking and part identification.



**Gouging**  
Removal of metal in an efficient, precise and clean manner



EASYCUT K25 & K35 PFC  
Built-in air compressor



With a cutting capacity of up to 15 mm, the EASYCUT K25 and K35 PFC are manual plasma cutting machines with a built-in compressor. In the absence of compressed air, they are the perfect tool for any construction site.

- The internal compressor eliminates the need for an external air compressor and filter.
- No HF arc ignition to avoid electromagnetic interference.
- Equipped with a 4 m torch with trigger safety device to prevent accidental or unintentional triggering.
- Internal air filter with automatic drain to prevent condensation in the torch (K35 PFC).
- Storage compartment for consumables (K35 PFC).



MADE IN FRANCE



EASYCUT 30 FV  
Designed for body shops



The EASYCUT 30 FV is a 30 A plasma cutter with a 10 mm steel cutting capacity (15 mm in separation). Its HF-free priming system extends the life of the consumables. Designed for maintenance work, such as car bodywork, it has a very robust mechanism and a simple interface with flow meter.

- Easy-to-use control panel with a single potentiometer for adjusting the cutting intensity.
- No HF arc ignition to avoid electromagnetic interference
- Manual air pressure adjustment (2.5 < 9 bar) with front panel flow meter
- Equipped with a 4 m detachable torch equipped with a safety device on the trigger to prevent accidental or unintentional triggering.



MADE IN FRANCE

| Specifications                  |        | EASYCUT K25             | EASYCUT K35 PFC |
|---------------------------------|--------|-------------------------|-----------------|
| Power Supply                    |        | 230 V<br>1 ph, 50/60 Hz |                 |
| Fuse                            |        | 16 A                    |                 |
| Current range                   |        | 10-25 A                 | 10-35 A         |
| Duty cycle<br>EN 60974-1 (40°C) | @ 60%  | 15 A / 86 V             | 26 A / 90.4 V   |
|                                 | @ 100% | -                       | -               |
| Compressor (noise level)        |        | 60 -70 db               |                 |
| Dimensions L x W x H            |        | 41 x 20 x 36 cm         | 45 x 26 x 36 cm |
| Weight                          |        | 15 kg                   | 18.5 kg         |
| Original torch                  |        | TPT 25 (4 m)            | TPT 35 (4 m)    |

| Performance                    |                          | EASYCUT K25 | EASYCUT K35 PFC |
|--------------------------------|--------------------------|-------------|-----------------|
| Recommended cut<br>(Clean cut) | Steel                    | 6 mm        | 10 mm           |
|                                | Stainless steel<br>/ Alu | 4 mm        | 8 mm            |
| Maximum cut<br>(Separation)    | Steel                    | 8 mm        | 15 mm           |
|                                | Stainless steel<br>/ Alu | 6 mm        | 10 mm           |

| Options & Accessories          |        |
|--------------------------------|--------|
| TPT 25 torch + consumables kit | 070721 |
| TPT 35 torch + consumables kit | 080782 |
| Compass kit (Ø 10 > 134 cm)    | 040205 |

| Ordering information                                                     |        |
|--------------------------------------------------------------------------|--------|
| EASYCUT K25 + accessories<br>GYS TPT 25 torch, 4 m + 2 m earth cable     | 068063 |
| EASYCUT K35 PFC + accessories<br>GYS TPT 35 torch, 4 m + 2 m earth cable | 080768 |

| Specifications                  |        | 230 V<br>1 ph, 50/60 Hz | 110 V<br>1 ph, 50/60 Hz |
|---------------------------------|--------|-------------------------|-------------------------|
| Power Supply                    |        |                         |                         |
| Fuse                            |        | 16 A                    | 32 A                    |
| Current range                   |        | 10-30 A                 |                         |
| Duty cycle<br>EN 60974-1 (40°C) | @ 60%  | 23 A / 89.2 V           | 19 A / 87.6 V           |
|                                 | @ 100% | 20 A / 88 V             | 15 A / 86 V             |
| Recommended air flow rate       |        | 115 L/min               |                         |
| Recommended air pressure        |        | 2.5 > 9 bar             |                         |
| Dimensions L x W x H            |        | 45 x 28 x 20 cm         |                         |
| Weight                          |        | 11 kg                   |                         |
| Original torch                  |        | TPT 40 (4 m)            |                         |

| Performance                    |                          | Steel | 10 mm |
|--------------------------------|--------------------------|-------|-------|
| Recommended cut<br>(Clean cut) | Stainless steel<br>/ Alu | 8 mm  |       |
|                                |                          |       |       |
| Maximum cut<br>(Separation)    | Steel                    | 15 mm |       |
|                                | Stainless steel<br>/ Alu | 10 mm |       |

| Options & Accessories                               |        |
|-----------------------------------------------------|--------|
| TPT 40 torch + consumables kit                      | 039957 |
| Dehumidifier filter                                 | 039728 |
| PLASMA 600 trolley                                  | 040298 |
| Manual plasma torch TPT 40 - 4 m - with consumables | 060753 |
| Compass kit (Ø 10 > 134 cm)                         | 040205 |

| Ordering information                                                   |        |
|------------------------------------------------------------------------|--------|
| EASYCUT 30 FV + accessories<br>GYS TPT 40 torch, 4 m + 2 m earth cable | 013858 |

EASYCUT 25 & 40  
Ultra compact



The ultra-compact EASYCUT 25 and 40 plasma cutters are ideal for easily cutting all types of metal up to 20 mm thick. With a power rating of up to 40 A, they excel at low-current precision cutting. Ideal for the workshop, they offer true portability without sacrificing cutting performance.

- Compact and lightweight, they provide excellent mobility.
- Easy-to-use control panel with a single potentiometer for adjusting the cutting intensity.
- No HF arc ignition to avoid electromagnetic interference.
- Manual air pressure adjustment (2.5 < 6.5 bar) with front bar graph.
- Equipped with a 4 m detachable torch with trigger safety device.

Specifications

|                           | EASYCUT 25              | EASYCUT 40   |
|---------------------------|-------------------------|--------------|
| Power Supply              | 230 V<br>1 ph, 50/60 Hz |              |
| Fuse                      | 16 A                    | 16 A         |
| Current range             | 10-25 A                 | 10-40 A      |
| Duty cycle                | @ 60%                   | 15 A / 86 V  |
| EN 60974-1 (40°C)         | @ 100%                  | 10 A / 84 V  |
| Recommended air flow rate | 115 L/min               |              |
| Recommended air pressure  | 2.5 > 6.5 bar           |              |
| Dimensions L x W x H      | 42 x 15 x 30 cm         |              |
| Weight                    | 7.8 kg                  | 8 kg         |
| Original torch            | TPT 25 (4 m)            | TPT 40 (4 m) |

Performance

|                                |                          | EASYCUT 25 | EASYCUT 40 |
|--------------------------------|--------------------------|------------|------------|
| Recommended cut<br>(Clean cut) | Steel                    | 6 mm       | 15 mm      |
|                                | Stainless steel<br>/ Alu | 4 mm       | 12 mm      |
| Maximum cut<br>(Separation)    | Steel                    | 8 mm       | 20 mm      |
|                                | Stainless steel<br>/ Alu | 6 mm       | 15 mm      |

Options & Accessories

|                                                     |        |
|-----------------------------------------------------|--------|
| TPT 25 torch + consumables kit                      | 070721 |
| TPT 40 torch + consumables kit                      | 039957 |
| Dehumidifier filter                                 | 039728 |
| PLASMA 600 trolley                                  | 040298 |
| Manual plasma torch TPT 40 - 4 m - with consumables | 060753 |
| Compass kit (Ø 10 > 134 cm)                         | 040205 |

Ordering information

|                                         |        |
|-----------------------------------------|--------|
| EASYCUT 25 + accessories                | 065543 |
| GYS TPT 25 torch, 4 m + 2 m earth cable |        |
| EASYCUT 40 + accessories                | 029743 |
| GYS TPT 40 torch, 4 m + 2 m earth cable |        |



# CUTTER 45, 70 & 105 CT

Portable for industry



Designed to meet the most demanding requirements, CUTTER CT machines are suitable for use on construction sites and in workshops. Their cutting capacity allows them to perform a wide range of tasks with ease. The CNC interface and automatic industrial torch enable mechanised operation.

- Intuitive control panel with a single potentiometer to adjust cutting current.
- 5 cutting modes:
  - Cutting solid sheets with or without locked trigger
  - Cutting perforated sheets with continuous arc maintenance
  - Gouging with or without locked trigger
- Pre-wired for use on an automatic cutting table (optional analogue CNC-1 kit).
- Arc ignition without HF to avoid any electromagnetic interference.
- Manual air pressure adjustment (4.1 < 6.5 bar) with bar graph on front panel.




MADE IN FRANCE



| Performances                |                 | 45 CT |       | 70 CT    | 105 CT |
|-----------------------------|-----------------|-------|-------|----------|--------|
|                             |                 | 230 V | 110 V | 400 V    | 400 V  |
| Recommended cut (Clean cut) | Steel           | 25 mm | 10 mm | 25 mm    | 30 mm  |
|                             | Inox / Alu      | 15 mm | 8 mm  | 18 mm    | 50 mm  |
| Maximum cut (Separation)    | Steel           | 30 mm | 15 mm | 35 mm    | 40 mm  |
|                             | Inox / Alu      | 20 mm | 10 mm | 25 mm    | 20 mm  |
| Drilling                    | Steel           | 12 mm | 5 mm  | 15 mm    | 20 mm  |
|                             | Inox / Alu      | 6 mm  | 3 mm  | 12 mm    | 18 mm  |
| Gouging                     | Withdrawal Rate | -     | -     | 4.8 kg/h | 8 kg/h |

## Recommended cut



## Specifications

| Specifications                  | CUTTER 45 CT                |                         | CUTTER 70 CT            |              | CUTTER 105 CT           |               |
|---------------------------------|-----------------------------|-------------------------|-------------------------|--------------|-------------------------|---------------|
|                                 | Cut                         |                         | Cut                     | Gouging      | Cut                     | Gouging       |
| Work mode                       |                             |                         |                         |              |                         |               |
| Power Supply                    | 230 V<br>1 ph, 50/60 Hz     | 110 V<br>1 ph, 50/60 Hz | 400 V<br>3 ph, 50/60 Hz |              | 400 V<br>3 ph, 50/60 Hz |               |
| Fuse                            | 16 A                        | 32 A                    | 16 A                    |              | 32 A                    |               |
| Current range                   | 10-45 A                     | 10-30 A                 | 20-70 A                 |              | 20-105 A                |               |
| Duty cycle<br>EN 60974-1 (40°C) | @ 60%                       | 41 A / 96.4 V           | 21 A / 88.4 V           | 70 A / 108 V | 60 A / 124 V            | 105 A / 122 V |
|                                 | @ 100%                      | 32 A / 92.8 V           | 17 A / 86.8 V           | 55 A / 102 V | 45 A / 118 V            | 85 A / 114 V  |
| Recommended air flow rate       | 115 L/min                   | 185 L/min               | 270 L/min               |              | 305 L/min               |               |
| Recommended air pressure        | 5 > 7 bar                   |                         |                         |              | 5 > 9 bar               |               |
| Dimensions L x l x h            | 48 x 37 x 23 cm             |                         | 52 x 40 x 26 cm         |              | 55 x 30 x 49 cm         |               |
| Weight                          | 15 kg                       |                         | 22 kg                   |              | 29 kg                   |               |
| Original torch                  | MT-45 (4 m) or TPT 40 (4 m) |                         | MT-70 (6 m)             |              | MT-125 (6 m)            |               |

## Ordering information

|                                                                        |        |
|------------------------------------------------------------------------|--------|
| CUTTER 45 CT 16 + earth cable, 2 m                                     | 014787 |
| CUTTER 45 CT 16 + accessories GYS TPT 40 torch, 4 m + earth cable, 2 m | 013629 |
| CUTTER 45 CT 32 + earth cable, 2 m                                     | 088382 |
| CUTTER 45 CT 32 + accessories GYS MT- 45 torch, 4 m + earth cable, 2 m | 088399 |
| CUTTER 70 CT + earth cable, 4 m                                        | 013636 |
| CUTTER 70 CT + accessories GYS MT-70 torch, 6 m + earth cable, 4 m     | 013841 |
| CUTTER 105 CT + earth cable, 4 m                                       | 081093 |
| CUTTER 105 CT + accessoires GYS MT-125 torch, 6 m + earth cable, 4 m   | 081109 |

NEOCUT 45, 70, 105 & 125  
State-of-the-art technology



NEOCUT professional-grade plasma cutters are characterised by a cutting capacity of up to 57 mm thick. Standard CNC connections enable mechanised operation. The colour interface, unique in the plasma cutter market, makes it easy to use and adjust, offering an unrivalled user experience.

- Automatic management of pressure and air flow based on the set current.
- 5 operating modes: Cutting solid sheets, Cutting perforated sheets with continuous arc maintenance, Marking, Gouging and Spot (drilling points).
- Marking mode, ideal for tracing and identifying parts.
- Arc ignition without HF to avoid electromagnetic interference.
- Pre-installed CNC connectors (analogue and digital). Ready for automation, NEOCUT machines connect natively to cutting tables via their two standard connectors.
- Integrated counter to monitor wear on consumables (nozzle and electrode).
- The USB connector on the front panel allows you to easily update the machine and install new cutting programmes and synergies via the GYS website.
- Multilingual digital interface: easy to use, with all settings accessible from a single button.





MADE IN FRANCE




| Performances                   |                 | 45       | 70     | 105    | 125     |
|--------------------------------|-----------------|----------|--------|--------|---------|
| Recommended cut<br>(Clean cut) | Steel           | 25 mm    | 25 mm  | 35 mm  | 40 mm   |
|                                | Inox / Alu      | 15 mm    | 18 mm  | 30 mm  | 40 mm   |
| Maximum cut<br>(Separation)    | Steel           | 30 mm    | 35 mm  | 50 mm  | 57 mm   |
|                                | Inox / Alu      | 20 mm    | 25 mm  | 40 mm  | 55 mm   |
| Drilling                       | Steel           | 12 mm    | 15 mm  | 20 mm  | 25 mm   |
|                                | Inox / Alu      | 10 mm    | 12 mm  | 18 mm  | 25 mm   |
| Gouging                        | Withdrawal Rate | 3.3 kg/h | 4 kg/h | 8 kg/h | 12 kg/h |

Recommended cut




| Specifications                  | NEOCUT 45<br>M230      | NEOCUT 70<br>T400      | NEOCUT 105<br>T400     | NEOCUT 125<br>T400     |
|---------------------------------|------------------------|------------------------|------------------------|------------------------|
| Work mode                       | Cut                    | Cut                    | Cut                    | Cut                    |
| Power Supply                    | 230 V - 1 ph, 50/60 Hz | 400 V - 3 ph, 50/60 Hz | 400 V - 3 ph, 50/60 Hz | 400 V - 3 ph, 50/60 Hz |
| Fuse                            | 32 A                   | 16 A                   | 32 A                   | 63 A                   |
| Current range                   | 15 - 45 A              | 20 - 70 A              | 20 - 105 A             | 20 - 125 A             |
| Duty cycle<br>EN 60974-1 (40°C) | @ 60%                  | 41 A                   | 70 A                   | -                      |
|                                 | @ 100%                 | 32 A                   | 55 A                   | 105 A                  |
| Recommended air flow rate       | 355 L/min              |                        |                        |                        |
| Recommended air pressure        | 5 > 9 bar              |                        |                        |                        |
| Dimensions L x l x h            | 43 x 22 x 38 cm        | 52.5 x 26 x 45.5 cm    | 69 x 40 x 61 cm        | 57.5 x 30 x 51.5 cm    |
| Weight                          | 14.3 kg                | 21.5 kg                | 31.3 kg                | 32 kg                  |



| Ordering information                        | NEOCUT 45<br>M230  | NEOCUT 70<br>T400  |
|---------------------------------------------|--------------------|--------------------|
| NEOCUT+ earth cable, 4 m                    | 082748             | 083448             |
| NEOCUT+ earth cable, 4 m + MT-45 torch, 4m  | 088948             | -                  |
| NEOCUT+ earth cable, 4 m + MT 70 torch, 6m  | -                  | 088955             |
| Ordering information                        | NEOCUT 105<br>T400 | NEOCUT 125<br>T400 |
| NEOCUT+ earth cable, 4 m                    | 083455             | 083462             |
| NEOCUT+ earth cable, 4 m + MT 125 torch, 6m | 088962             | 088979             |



Torches - EASYCUT

| Model                                                                             | Series | Corner | Duty cycle |      | Length<br> | Consumables | Reference | Compatibility                               |
|-----------------------------------------------------------------------------------|--------|--------|------------|------|---------------------------------------------------------------------------------------------|-------------|-----------|---------------------------------------------|
|                                                                                   |        |        | 60%        | 100% |                                                                                             |             |           |                                             |
|  | TPT 25 | 75°    | 25 A (35%) | 15 A | 4 m                                                                                         | included    | 068087    | EASYCUT K25<br>EASYCUT 25                   |
|                                                                                   | TPT 35 |        | 35 A       | -    | 4 m                                                                                         | included    | 080775    | EASYCUT K35 PFC                             |
|                                                                                   | TPT 40 |        | 40 A       |      | 4 m                                                                                         | included    | 060753    | EASYCUT 30 FV<br>EASYCUT 40<br>CUTTER 45 CT |

Consumables - EASYCUT

| Torch model |        |  | Diffuser (x2) |  | Electrode (x10) |  | Nozzle (x10) |  | Nozzle (x4) |  | Consumables box |  | Spacer TPT x 1 |
|-------------|--------|-----------------------------------------------------------------------------------|---------------|-----------------------------------------------------------------------------------|-----------------|-----------------------------------------------------------------------------------|--------------|-----------------------------------------------------------------------------------|-------------|-------------------------------------------------------------------------------------|-----------------|-------------------------------------------------------------------------------------|----------------|
| Cutting     | MT 25K | x1                                                                                | 040175        | x3                                                                                | 040168          | x3                                                                                | 040151       | x1                                                                                | 040182      | MT 25K                                                                              | 039971          |                                                                                     | 088856         |
|             | TPT 25 |                                                                                   |               |                                                                                   |                 |                                                                                   | 040212       |                                                                                   | 040182      | TPT 25                                                                              | 070721          |                                                                                     |                |
|             | TPT 35 |                                                                                   |               |                                                                                   |                 |                                                                                   | 080799       |                                                                                   | 040182      | TPT 35                                                                              | 080782          |                                                                                     |                |
|             | TPT 40 |                                                                                   |               |                                                                                   |                 |                                                                                   | 040212       |                                                                                   | 040236      | TPT 40                                                                              | 039957          |                                                                                     |                |

Packs - CUTTER CT / NEOCUT

| 45CT CUTTER                                                                           |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| pack CUTTER 45CT 16 M1 062962                                                         | •                                                                                     | 2 m, 10 mm²                                                                           |                                                                                       | MT 70, 6 m 037502                                                                     |                                                                                       |                                                                                       | x1                                                                                    | x3                                                                                    | x3                                                                                    | x1                                                                                    |                                                                                       | x1                                                                                    |                                                                                       |
| Box 20-50A 061613                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| pack CUTTER 45CT 16 M2 084520                                                         | •                                                                                     | 2 m, 10 mm²                                                                           | 6 m 074668                                                                            | MT 70 074583                                                                          |                                                                                       |                                                                                       | x1                                                                                    | x3                                                                                    | x3                                                                                    | x1                                                                                    |                                                                                       | x1                                                                                    |                                                                                       |
| Box 20-50A 061613                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| CUTTER 45CT 16 M3 pack 084537                                                         | •                                                                                     | 2 m, 10 mm²                                                                           | 12 m 074675                                                                           | MT 70 074583                                                                          |                                                                                       |                                                                                       | x1                                                                                    | x3                                                                                    | x3                                                                                    | x1                                                                                    |                                                                                       | x1                                                                                    |                                                                                       |
| Box 20-50A 061613                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| pack CUTTER 45CT 16 A1 062986                                                         | •                                                                                     | 2 m, 10 mm²                                                                           |                                                                                       |                                                                                       | AT 70, 12 m 037533                                                                    | CNC Kit 1 Analogic 039988                                                             | x1 037557                                                                             | x5 037564                                                                             | x5 037571                                                                             | x1 (Ohmic) 037618                                                                     |                                                                                       | x1 037649                                                                             |                                                                                       |
| CUTTER 45CT 32 A2 pack 089471                                                         | •                                                                                     | 2 m, 10 mm²                                                                           |                                                                                       |                                                                                       | AT 70, 12 m 037533                                                                    | CNC Kit 1 Analogic 039988                                                             | x1 037557                                                                             | x5 037564                                                                             | x5 037571                                                                             | x1 (Ohmic) 037618                                                                     |                                                                                       | x1 037649                                                                             |                                                                                       |
| CUTTER 70CT                                                                           |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 70CT Cutter Pack M1 014589                                                            | •                                                                                     | 4 m, 10 mm²                                                                           |                                                                                       | MT 70, 6 m 037502                                                                     |                                                                                       |                                                                                       | x1                                                                                    | x3                                                                                    | x3                                                                                    | x1                                                                                    |                                                                                       | x1                                                                                    |                                                                                       |
| Box 20-70A 037540                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| 70CT Cutter Pack M2 084544                                                            | •                                                                                     | 4 m, 10 mm²                                                                           | 6 m 074668                                                                            | MT 70 074583                                                                          |                                                                                       |                                                                                       | x1                                                                                    | x3                                                                                    | x3                                                                                    | x1                                                                                    |                                                                                       | x1                                                                                    |                                                                                       |
| Box 20-70A 037540                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| 70CT Cutter Pack M3 084551                                                            | •                                                                                     | 4 m, 10 mm²                                                                           | 12 m 074675                                                                           | MT 70 074583                                                                          |                                                                                       |                                                                                       | x1                                                                                    | x3                                                                                    | x3                                                                                    | x1                                                                                    |                                                                                       | x1                                                                                    |                                                                                       |
| Box 20-70A 037540                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| 70CT Cutter Pack A1 014619                                                            | •                                                                                     | 4 m, 10 mm²                                                                           |                                                                                       |                                                                                       | AT 70, 12 m 037533                                                                    | CNC Kit 1 Analogic 039988                                                             | x1 037557                                                                             | x5 037564                                                                             | x5 037588                                                                             | x1 (Ohmic) 037618                                                                     |                                                                                       | x1 037649                                                                             |                                                                                       |
| CUTTER 105CT                                                                          |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 105CT Cutter Pack M1 084568                                                           | •                                                                                     | 4 m, 16 mm²                                                                           | 6 m 074668                                                                            | MT 125 074606                                                                         |                                                                                       |                                                                                       | x1 (85A) x1 (105A)                                                                    | x3                                                                                    | x3 (85A) x1 (105A)                                                                    | x1 (85A) x1 (105A)                                                                    |                                                                                       | x1 (85A) x1 (105A)                                                                    |                                                                                       |
| Box 85/105A 064720                                                                    |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| 105CT Cutter Pack M2 084575                                                           | •                                                                                     | 4 m, 16 mm²                                                                           | 12 m 074675                                                                           | MT 125 074606                                                                         |                                                                                       |                                                                                       | x1 (85A) x1 (105A)                                                                    | x3                                                                                    | x3 (85A) x1 (105A)                                                                    | x1 (85A) x1 (105A)                                                                    |                                                                                       | x1 (85A) x1 (105A)                                                                    |                                                                                       |
| Box 85/105A 064720                                                                    |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| 105CT Cutter Pack A1 084582                                                           | •                                                                                     | 4 m, 16 mm²                                                                           |                                                                                       |                                                                                       | AT-125 12 m 039520                                                                    | CNC Kit 1 Analogic 039988                                                             | x1 039148                                                                             | x5 039155                                                                             | x5 039193                                                                             | x1 (Ohmic) 039445                                                                     |                                                                                       | x1 039308                                                                             |                                                                                       |
| NEOCUT 45 M230                                                                        |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Neocut 45 M230 pack M1 089488                                                         | •                                                                                     | 4 m, 10 mm²                                                                           | 12 m 074675                                                                           | MT 70 074583                                                                          |                                                                                       |                                                                                       | x1                                                                                    | x3                                                                                    | x3                                                                                    | x1                                                                                    |                                                                                       | x1                                                                                    |                                                                                       |
| Box 20-50A 061613                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| Neocut 45 M230 pack A1 089495                                                         | •                                                                                     | 4 m, 10 mm²                                                                           |                                                                                       |                                                                                       | AT-70 6 m 037526                                                                      | Digital / Analog 084643                                                               | x1 037557                                                                             | x5 037564                                                                             | x5 037571                                                                             | x1 (Ohmic) 037618                                                                     |                                                                                       | x1 037649                                                                             |                                                                                       |
| NEOCUT 70 T400                                                                        |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Neocut 70 T400 pack M1 089501                                                         | •                                                                                     | 4 m, 10 mm²                                                                           | 12 m 074675                                                                           | MT 70 074583                                                                          |                                                                                       |                                                                                       | x1                                                                                    | x3                                                                                    | x3                                                                                    | x1                                                                                    |                                                                                       | x1                                                                                    |                                                                                       |
| Box 20-70A 037540                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| Neocut 70 T400 pack A1 089518                                                         | •                                                                                     | 4 m, 10 mm²                                                                           |                                                                                       |                                                                                       | AT-70 6 m 037526                                                                      | Digital / Analog 084643                                                               | x1 037557                                                                             | x5 037564                                                                             | x5 037588                                                                             | x1 (Ohmic) 037618                                                                     |                                                                                       | x1 037649                                                                             |                                                                                       |
| NEOCUT 105 T400                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Neocut 105 T400 pack M1 089525                                                        | •                                                                                     | 4 m, 16 mm²                                                                           | 12 m 074675                                                                           | MT 125 074606                                                                         |                                                                                       | 087958                                                                                | x1 (85A) x1 (105A)                                                                    | x3                                                                                    | x3 (85A) x1 (105A)                                                                    | x1 (85A) x1 (105A)                                                                    |                                                                                       | x1 (85A) x1 (105A)                                                                    |                                                                                       |
| Box 85/105A 064720                                                                    |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| Neocut 105 T400 pack A1 089532                                                        |                                                                                       |                                                                                       |                                                                                       |                                                                                       | AT-125 12 m 039520                                                                    | Digital / Analog 084643                                                               | x1 039148                                                                             | x5 039155                                                                             | x5 039193                                                                             | x1 (Ohmic) 039445                                                                     |                                                                                       | x1 039308                                                                             |                                                                                       |
| NEOCUT 125 T400                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Neocut 125 T400 pack M1 089549                                                        | •                                                                                     | 4 m, 25 mm²                                                                           | 12 m 074675                                                                           | MT 125 074606                                                                         |                                                                                       | 087958                                                                                | x1                                                                                    | x3                                                                                    | x3 (105A) x3 (125A)                                                                   | x1                                                                                    |                                                                                       | x1                                                                                    |                                                                                       |
| Box 105/125A 039544                                                                   |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| Neocut 125 T400 pack A1 089556                                                        | 125A 60%                                                                              | •                                                                                     | 4 m, 25 mm²                                                                           |                                                                                       | AT-125 12 m 039520                                                                    | Digital / Analog 084643                                                               | x1 039148                                                                             | x5 039155                                                                             | x5 039209                                                                             | x1 (Ohmic) 039445                                                                     |                                                                                       | x1 039308                                                                             |                                                                                       |
| Neocut 125 T400 pack A2 089563                                                        | 125A 100%                                                                             | •                                                                                     | 4 m, 25 mm²                                                                           |                                                                                       | AT-160 12 m 067486                                                                    | Digital / Analog 084643                                                               | x1 067509                                                                             | x5 067493                                                                             | x5 067554                                                                             | x1 (Ohmic) 067585                                                                     |                                                                                       | x1 067608                                                                             |                                                                                       |


Torches - CUTTER CT / NEOCUT


| Model                                                                             | Series | Corner | Duty cycle |       | Length | Consumables  | Reference | Compatibility                   |
|-----------------------------------------------------------------------------------|--------|--------|------------|-------|--------|--------------|-----------|---------------------------------|
|                                                                                   |        |        | 60%        | 100%  |        |              |           |                                 |
|  | MT-45  | 75°    | 45 A       | -     | 4 m    | included     | 088405    | CUTTER 45 CT<br>NEOCUT 45       |
|                                                                                   | MT-70  |        | 70 A (50%) | 50 A  | 6 m    | not included | 037502    | CUTTER 45 CT/70 CT<br>NEOCUT 70 |
|                                                                                   |        |        |            |       | 12 m   |              | 037519    |                                 |
|                                                                                   | MT-125 |        | 125 A      | 105 A | 6 m    |              | 039506    | CUTTER 105 CT<br>NEOCUT 105     |
|                                                                                   |        |        |            |       | 12 m   |              | 039513    | NEOCUT 125                      |

Torches "EASYFIT"

Beam

Torch model



| Series | Model                     | Corner | Duty cycle |       | Length                                                                              |                                                                                     | Consumables  | Reference | Compatibility                                |
|--------|---------------------------|--------|------------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------|-----------|----------------------------------------------|
|        |                           |        | 60%        | 100%  |  |  |              |           |                                              |
| A      | MT-70<br>MT-125<br>MT-160 | -      | -          | -     | 6 m                                                                                 | -                                                                                   | not included | 074668    | CUTTER CT / NEOCUT                           |
|        |                           |        |            |       | 12 m                                                                                | -                                                                                   |              | 074675    |                                              |
|        |                           |        |            |       | 20 m                                                                                | -                                                                                   |              | 085817    |                                              |
| B      | MT-125                    | 90°    | 125 A      | 105A  | -                                                                                   | 130 cm                                                                              |              | 074644    | CUTTER 105 CT<br>NEOCUT 105<br>NEOCUT 125    |
|        |                           | 15°    |            |       |                                                                                     |                                                                                     |              | 074651    |                                              |
| C      | MT-125                    | 90°    | 125 A      | 105A  | -                                                                                   | 80 cm                                                                               |              | 074620    |                                              |
|        |                           | 15°    |            |       |                                                                                     |                                                                                     |              | 074637    |                                              |
| D      | MT-70                     | 75°    | 70 A (50%) | 50 A  | -                                                                                   | -                                                                                   |              | 074583    | CUTTER 45 CT<br>CUTTER 70 CT<br>NEOCUT 45/70 |
|        | MT-125                    |        | 125 A      | 105 A |                                                                                     |                                                                                     |              | 074606    | CUTTER 105 CT<br>NEOCUT 105<br>NEOCUT 125    |
|        | MT-160                    | 85°    | 160 A      | 125 A |                                                                                     |                                                                                     |              | 087477    |                                              |
| E      | MT-70                     | 15°    | 70 A (50%) | 50 A  |                                                                                     |                                                                                     |              | 074590    | CUTTER 45 CT<br>CUTTER 70 CT<br>NEOCUT 70    |
|        | MT-125                    |        | 125 A      | 105 A |                                                                                     |                                                                                     |              | 074613    | CUTTER 105 CT<br>NEOCUT 105/125              |


Consumables - CUTTER CT / NEOCUT

| Cutting |                                            |  x1<br>Diffuser - Diffuser - Swirl Ring |  x5<br>Electrode - Schneidelektrode |  x5<br>Tip - Nozzle - Düse |  x1<br>Nozzle - Nozzle - Schneiddüsenhalter |  x1<br>Shield - Skate |
|---------|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| MT-45   | 20-45 A                                    | x1<br>037557                                                                                                               | x3<br>Shorts 037564<br>Long 067189                                                                                     | x3<br>037571<br>Long 067196                                                                                   | x1<br>088429                                                                                                                   | x1<br>Short (20.4 mm) 037625<br>Long (30.1 mm) 067219                                                    |
|         | 20-50 A                                    | x1 x1<br>037557                                                                                                            | x3<br>Shorts 037564<br>Long 067189                                                                                     | x3 x3<br>037571<br>Long 067196                                                                                | x1 x1<br>037601                                                                                                                | x1<br>Short (20.4 mm) 037625<br>Long (30.1 mm) 067219                                                    |
| MT-70   | 70 A                                       |                                                                                                                            | x3<br>Shorts 037564<br>Long 067189                                                                                     | x3<br>037588<br>Long 067202                                                                                   |                                                                                                                                | x1<br>Short (20.4 mm) 037625<br>Long (30.1 mm) 067219                                                    |
|         | 45 A Precision cut<br>45 A<br>65 A         | x1<br>039131                                                                                                               | x3<br>039155                                                                                                           | 039315<br>x3 039162<br>x3 039179                                                                              | x1<br>039216                                                                                                                   | x1<br>039230                                                                                             |
| MT-125  | 85 A                                       | x1<br>039148                                                                                                               | x3                                                                                                                     | x3 039186<br>x3 039193<br>x3 039209                                                                           | x1<br>039223                                                                                                                   | x1<br>039247                                                                                             |
|         | 105 A                                      |                                                                                                                            |                                                                                                                        |                                                                                                               |                                                                                                                                |                                                                                                          |
|         | 125 A                                      |                                                                                                                            |                                                                                                                        |                                                                                                               |                                                                                                                                |                                                                                                          |
| MT-160  | 45 A<br>65 A<br>85 A<br>105-125 A<br>160 A | 067509                                                                                                                     | 067493                                                                                                                 | 067523<br>067530<br>067547<br>067554<br>067561                                                                | 087927<br>087484                                                                                                               | 087910<br>087491                                                                                         |
|         |                                            |                                                                                                                            |                                                                                                                        |                                                                                                               |                                                                                                                                |                                                                                                          |
|         |                                            |                                                                                                                            |                                                                                                                        |                                                                                                               |                                                                                                                                |                                                                                                          |
|         |                                            |                                                                                                                            |                                                                                                                        |                                                                                                               |                                                                                                                                |                                                                                                          |
|         |                                            |                                                                                                                            |                                                                                                                        |                                                                                                               |                                                                                                                                |                                                                                                          |
| Gouging |                                            |  x1<br>Diffuser - Diffuser - Swirl Ring |  x5<br>Electrode - Schneidelektrode |  x5<br>Tip - Nozzle - Düse |  x1<br>Nozzle - Nozzle - Schneiddüsenhalter |  x1<br>Shield - Skate |
| MT-70   | 70 A                                       | 037557                                                                                                                     | 037564                                                                                                                 | 037595                                                                                                        | 037601                                                                                                                         | 037632                                                                                                   |
| MT-125  | 65-85 A                                    | 039131                                                                                                                     | 039155                                                                                                                 | 039261                                                                                                        | 039216                                                                                                                         | 039254                                                                                                   |
|         | 105 A                                      | 039278                                                                                                                     |                                                                                                                        | 039223                                                                                                        |                                                                                                                                |                                                                                                          |
|         | 125 A                                      | 039285                                                                                                                     |                                                                                                                        |                                                                                                               |                                                                                                                                |                                                                                                          |
| MT-160  | 105-125 A                                  | 067509                                                                                                                     | 067493                                                                                                                 | 087934                                                                                                        | 087484                                                                                                                         | 087941                                                                                                   |

Consumables "Difficult access"

| Torch model |         | Caliber |  |  |  |  |  |  |  |  |
|-------------|---------|---------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|             |         |         | Diffuser (x1)                                                                         | Electrode (x3)                                                                        | Nozzle (x1)                                                                           | Ring (x3)                                                                             | Nozzle (x5)                                                                           | Skate (x1)                                                                            |                                                                                       |                                                                                       |
| MT-70       | Cutting | 20-45 A | 037557                                                                                | 074682                                                                                | 074859                                                                                | 074897                                                                                | 074767                                                                                | 074910                                                                                | 76 mm<br>122 mm                                                                       |                                                                                       |
|             |         | 70 A    |                                                                                       |                                                                                       |                                                                                       |                                                                                       | 074774                                                                                |                                                                                       |                                                                                       |                                                                                       |
| MT-125      |         | 20-45 A | 039131                                                                                | 074699                                                                                | 074866                                                                                | 074897                                                                                | 074767                                                                                | 074910                                                                                | 82 mm<br>131 mm                                                                       |                                                                                       |
|             |         | 70 A    |                                                                                       |                                                                                       |                                                                                       |                                                                                       | 074774                                                                                |                                                                                       |                                                                                       |                                                                                       |
|             |         | 100 A   |                                                                                       |                                                                                       |                                                                                       |                                                                                       | 074781                                                                                |                                                                                       |                                                                                       |                                                                                       |
| MT-70       |         | Gouging | 70 A                                                                                  | 037557                                                                                | 074682                                                                                | 074859                                                                                | 074897                                                                                | 074798                                                                                | 074927                                                                                |                                                                                       |
| MT-125      | 70 A    |         | 039131                                                                                | 074699                                                                                | 074866                                                                                | 074897                                                                                | 074798                                                                                | 074927                                                                                | 82 mm<br>131 mm                                                                       |                                                                                       |
|             | 100 A   |         | 039148                                                                                |                                                                                       |                                                                                       |                                                                                       | 074804                                                                                |                                                                                       |                                                                                       |                                                                                       |

Flat cutting consumables

| Torch model |         | Caliber  |  |  |  |  |  |  |
|-------------|---------|----------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| MT-70       | Cutting | 40-70 A  | 074736                                                                                | 074705                                                                                | 074873                                                                                | 074811                                                                                | 074903                                                                                |                                                                                       |
| MT-125      |         | 40-70 A  | 074743                                                                                | 074712                                                                                | 074880                                                                                | 074828                                                                                |                                                                                       |                                                                                       |
|             |         | 80-125 A | 074750                                                                                | 039155                                                                                |                                                                                       | 074835                                                                                |                                                                                       |                                                                                       |

Torches automatic

| Model                                                                             | Series | Duty cycle |       | Length                                                                            |                                                                                   |  | Consumables  | Reference | Compatibility                                |  |
|-----------------------------------------------------------------------------------|--------|------------|-------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------|-----------|----------------------------------------------|--|
|                                                                                   |        | 60%        | 100%  |  |  |                                                                                   |              |           |                                              |  |
|  | AT-70  | 70 A (50%) | 50 A  | 6 m                                                                               | 127 mm                                                                            | Ø 35 mm                                                                           | not included | 071865    | CUTTER 45 CT<br>CUTTER 70 CT<br>NEOCUT 45/70 |  |
|                                                                                   |        |            |       | 6 m                                                                               |                                                                                   |                                                                                   |              | 037526    |                                              |  |
|                                                                                   |        |            |       | 12 m                                                                              |                                                                                   |                                                                                   |              | 037533    |                                              |  |
|                                                                                   | AT-125 | 125 A      | 105 A | 6 m                                                                               |                                                                                   | Ø 35 mm                                                                           |              | 038479    | NEOCUT 105<br>NEOCUT 125                     |  |
|                                                                                   |        |            |       | 12 m                                                                              |                                                                                   |                                                                                   |              | 039520    |                                              |  |
|                                                                                   |        |            |       | 15 m                                                                              |                                                                                   |                                                                                   |              | 069787    |                                              |  |
|                                                                                   |        |            |       | 20 m                                                                              |                                                                                   |                                                                                   |              | 069794    |                                              |  |
|                                                                                   |        |            |       | 6 m                                                                               |                                                                                   |                                                                                   |              | 067479    |                                              |  |
|                                                                                   | AT-160 | 160 A      | 125 A | 12 m                                                                              | 240 mm                                                                            | Ø 44.5 mm                                                                         |              | 067486    | NEOCUT 125                                   |  |
|                                                                                   |        |            |       | 15 m                                                                              |                                                                                   |                                                                                   |              | 069800    |                                              |  |
|                                                                                   |        |            |       | 20 m                                                                              |                                                                                   |                                                                                   |              | 069817    |                                              |  |
|                                                                                   |        |            |       |                                                                                   |                                                                                   |                                                                                   |              |           |                                              |  |
|                                                                                   |        |            |       |                                                                                   |                                                                                   |                                                                                   |              |           |                                              |  |
|                                                                                   |        |            |       |                                                                                   |                                                                                   |                                                                                   |              |           |                                              |  |
|                                                                                   |        |            |       |                                                                                   |                                                                                   |                                                                                   |              |           |                                              |  |

Consumables

| Torch model |         | Caliber            |  | Diffuser (x1)      |  | Electrode (x5) |  | Nozzle (x5) |  | Nozzle (x1) |  | Ohmic nozzle (x1) |  | Auto deflector(x1) |
|-------------|---------|--------------------|-------------------------------------------------------------------------------------|--------------------|-------------------------------------------------------------------------------------|----------------|-------------------------------------------------------------------------------------|-------------|-------------------------------------------------------------------------------------|-------------|---------------------------------------------------------------------------------------|-------------------|---------------------------------------------------------------------------------------|--------------------|
| AT-70       | Cutting | 20-50 A            | 037557                                                                              | 037564             | 037571                                                                              | 037588         | 037601                                                                              | Or          | 037618                                                                              | 037649      |                                                                                       |                   |                                                                                       |                    |
|             |         | 70 A               |                                                                                     |                    |                                                                                     |                |                                                                                     |             |                                                                                     |             |                                                                                       |                   |                                                                                       |                    |
| AT-125      | Cutting | Precision cut 45 A | 039131                                                                              | 039155             | 039315                                                                              | 039216         | Or                                                                                  | 039339      | 037496                                                                              |             |                                                                                       |                   |                                                                                       |                    |
|             |         | 45 A               |                                                                                     |                    | 039162                                                                              |                |                                                                                     |             | 039292                                                                              |             |                                                                                       |                   |                                                                                       |                    |
|             |         | 65 A               |                                                                                     |                    | 039179                                                                              |                |                                                                                     |             |                                                                                     |             |                                                                                       |                   |                                                                                       |                    |
|             |         | 85 A               |                                                                                     |                    | 039186                                                                              |                |                                                                                     |             |                                                                                     |             |                                                                                       |                   |                                                                                       |                    |
|             |         | 105 A              | 039148                                                                              |                    | 039193                                                                              | 039223         | Or                                                                                  | 039445      | 039308                                                                              |             |                                                                                       |                   |                                                                                       |                    |
|             |         | 125 A              |                                                                                     |                    | 039209                                                                              |                |                                                                                     |             |                                                                                     |             |                                                                                       |                   |                                                                                       |                    |
|             |         | AT-160             | Cutting                                                                             | Precision cut 45 A | 067509                                                                              | 067493         | 067516                                                                              | -           | 067578                                                                              | 067592      |                                                                                       |                   |                                                                                       |                    |
| 45 A        | 067523  |                    |                                                                                     |                    |                                                                                     |                |                                                                                     |             |                                                                                     |             |                                                                                       |                   |                                                                                       |                    |
| 65 A        | 067530  |                    |                                                                                     |                    |                                                                                     |                |                                                                                     |             |                                                                                     |             |                                                                                       |                   |                                                                                       |                    |
| 85 A        | 067547  |                    |                                                                                     |                    |                                                                                     |                |                                                                                     |             |                                                                                     |             |                                                                                       |                   |                                                                                       |                    |
| 105-125 A   | 067554  |                    |                                                                                     | 067585             |                                                                                     |                | 067608                                                                              |             |                                                                                     |             |                                                                                       |                   |                                                                                       |                    |
| 160 A       | 067561  |                    |                                                                                     |                    |                                                                                     |                |                                                                                     |             |                                                                                     |             |                                                                                       |                   |                                                                                       |                    |

Accessories

|                                                                                     |                                                                                                                               |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
|  | <b>Dehumidifier filter</b><br>039728 Cartridge filter<br>039735 Cartridge only                                                |
|  | <b>Dust filter</b><br>046580<br>CUTTER 70/105 CT - NEOCUT 70/105/125                                                          |
|  | <b>RC-PLASMA</b><br>Remote on/off control for mechanized plasma torch<br>069596<br>CUTTER 45/70/105 CT - NEOCUT 45/70/105/125 |

Cutting guides

|                                                                                     |                                                                                                                         |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
|  | <b>Compass Kit #1</b><br>040205 Compatible TPT 25 / TPT 40 / MT 25K / TPT 35 / MT 45 torch<br>040199 Guide trolley only |
|  | <b>Compass Kit #2</b><br>037984 Compatible MT-70 / MT-125 torch<br>037977 Guide trolley only                            |
|  | <b>Cutting kit / chamfering / guiding</b><br>038653 Compatible MT-70 / MT-125 torch                                     |

Carts

|                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |
| 087958<br>CUTTER 105 CT<br>NEOCUT 105/125                                             | 040298<br>EASycut K25/K35 PFC<br>EASycut 30FV - 25/40<br>CUTTER 45 CT                 | 051331<br>EASycut K25/K35 PFC<br>EASycut 30FV - 25/40<br>CUTTER 45 CT                 | 039568<br>CUTTER 70/105 CT<br>NEOCUT 105/125                                          |

CNC KITS

|                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |
| <b>CNC-1 Analog</b><br>039988<br>CUTTER 45/70/105 CT<br>NEOCUT 105/125 (V1)           | <b>CNC-2 Digital</b><br>064737<br>NEOCUT 105/125 (V1)                                 | <b>CNC-3 Digital Retrofit</b><br>068957<br>NEOCUT 105/125 (V1)                        | <b>Control cable</b><br>084643                                                        |

[Learn more](#)



INVEST IN THE FUTURE



Made in France  
since 1964



## GYS FRANCE

### HEAD OFFICE

1 rue de la Croix des Landes  
CS 54159  
53941 Saint-Berthevin - Cedex  
Laval - France  
Tél +33 2 43 01 23 60  
E-mail [service.client@gys.fr](mailto:service.client@gys.fr)



ZI, 134 bd des Loges  
53941 Saint-Berthevin  
Laval - France

### LOGISTICS CENTRE

2 Rue Jean Dausset  
53810 Changé - France  
Tél +33 2 43 01 54 33



## GYS GERMANY

Professor-Wieler  
Straße 11  
52070 Aachen  
Deutschland

Tél +49 241/189-23-710  
Fax +49 241/189-23-719  
E-mail [aachen@gys.fr](mailto:aachen@gys.fr)



## GYS UK

Unit 3 - Great Central Way  
Rugby - Warwickshire  
CV21 3XH  
United Kingdom

Tél +44 1926 338 609  
Fax +44 1926 429 764  
E-mail [uk@gys.fr](mailto:uk@gys.fr)



## GYS ITALIA

Via Porta Est, 7  
30020 Marcon - VE  
Italia

Tél +39 041 53 21 565  
E-mail [italia@gys.fr](mailto:italia@gys.fr)



## GYS IBÉRICA

Avenida Pirineos 31  
Nave 9  
San Sebastian de los Reyes  
28703 Madrid  
España

Tél +34 917 409 790  
E-mail [iberica@gys.fr](mailto:iberica@gys.fr)



## GYS CHINA

Lot N°15  
6666 bd Songze  
201706 Qingpu  
Shanghai  
China

Tél +86 6221 4461  
Fax +86 5226 0067  
[www.gys-china.com.cn](http://www.gys-china.com.cn)  
E-mail  
[contact@gys-china.com.cn](mailto:contact@gys-china.com.cn)



LinkedIn  
 Youtube  
 TikTok  
 Facebook  
 Instagram

[www.gys.fr](http://www.gys.fr)

Distributed by